# Topic 2: Introduction to Smart Grid

Department of Electrical & Computer Engineering
Texas Tech University

Spring 2012



# Agenda

- Smart Grid: Definition
- Smart Grid: Applications / Benefits
- Smart Grid in the United States
  - Government and Industries
  - Current Projects
  - Priority Areas
- Smart Grid Standards

#### Course Overview


Q: What is Smart Grid?

#### Course Overview

Q: What is Smart Grid?

**Short Answer:** Smart Grid = IT + Electric Grid


#### Traditional Power Grid:




Centralized, bulk generation
Heavy reliance on coal and oil
Limited automation
Limited situational awareness
Consumers lack data to manage energy usage



#### Future Smart Grid:




#### Future Smart Grid:



According to the U.S. Department of Energy (DoE):

"Smart grid" generally refers to a class of technologies that people are using to bring utility electricity delivery systems into the 21st century, using computer-based remote control and automation. These systems are made possible by two-way digital communications technologies and computer processing that has been used for decades in other industries. They are beginning to be used on electricity networks, from the power plants and wind farms all the way to the consumers of electricity in homes and businesses. They offer many benefits to utilities and consumers -- mostly seen in big improvements in energy efficiency and reliability on the electricity grid and in energy users' homes and offices.

According to the U.S. Department of Energy (DoE):



- According to the National Inst. of Standards and Technology (NIST):
  - 1. Improving Power Reliability and Quality
    - Better monitoring using sensor networks and communications
    - Better and faster balancing of supply and demand

- 2. Minimizing the Need to Construct Back-up (Peak Load) Power Plants
  - Better demand side management
  - The use of advanced metering infrastructures

- According to the National Inst. of Standards and Technology (NIST):
  - 3. Enhancing the capacity and efficiency of existing electric grid
    - Better monitoring using sensor networks and communications
    - Consequently, better control and resource management in real-time

- 4. Improving Resilience to Disruption and Being Self-Healing
  - Better monitoring using sensor networks and communications
  - Distributed grid management and control



- According to the National Inst. of Standards and Technology (NIST):
  - 5. Expanding Deployment of Renewable and Distributed Energy Sources
    - Better monitoring using sensor networks and communications
    - Consequently, better control and resource management in real-time
    - Better demand side Management
    - Better renewable energy forecasting models
    - Providing the infrastructure / incentives

- According to the National Inst. of Standards and Technology (NIST):
  - 6. Automating maintenance and operation
    - Better monitoring using sensor networks and communications
    - Distributed grid management and control

- 7. Reducing greenhouse gas emissions
  - Supporting / encouraging the use of electric vehicles
  - Renewable power generation with low carbon footprint

- According to the National Inst. of Standards and Technology (NIST):
  - 8. Reducing oil consumption
    - Supporting / encouraging the use of electric vehicles
    - Renewable power generation with low carbon footprint
    - Better demand side Management (Q: Why?)

- 9. Enabling transition to plug-in electric vehicles
  - Can also provide new storage opportunities

- According to the National Inst. of Standards and Technology (NIST):
  - 10. Increasing consumer choice
    - The use of advanced metering infrastructures
    - Home automation
    - Energy smart appliances
    - Better demand side Management

Average Cost for 1 Hour of Power Interrupt:

INDUSTRY	AMOUNT
Cellular communications	\$41,000
Telephone ticket sales	<i>\$</i> 72,000
Airline reservation system	\$90,000
Semiconductor manufacturer	\$2,000,000
Credit card operation	\$2,580,000
Brokerage operation	\$6,480,000

Ref: U.S. Department of Energy

Smart grid is worth investing?



# Smart Grid Projects in United States



- represents Advanced Metering Infrastructure (AMI)
- represents Customer Systems (CS)
- ps represents Distribution Systems (DS)
- represents Equipment Manufacturing (EM)

- represents Integrated Systems (IS)
- represents Transmission Systems (TS)
- represents Regional Demonstration (RD)
- represents Storage Demonstration (SD)

#### Advanced Metering Infrastructure (AMI) Example


- AMI Project in Lubbock, TX
  - South Plains Electric Cooperative AMI Project
  - Started in 1996
  - To talk back and forth with utilities
  - Report outages and electric usage
  - 34,285 smart meters already connected (75%)
  - Targeting 100% by 2014!



**Smart Meter** 

# Customer System (CS) Example

- Peak Energy Agriculture Rewards (PEAR) in Fresno, CA
  - Demand response program for agriculture customers
  - Cell phone / web-to-wireless remote control.



# Customer System (CS) Example

- Peak Energy Agriculture Rewards (PEAR) in Fresno, CA
  - Controls:
    - On/off switches
    - Pump pressure and flow
    - Air temperature
    - Soil moisture, etc.



- Monthly cash payments for "negawatt" in peak demand
- PEAR is registered demand response "aggregator".



# Equipment Manufacturing (EM) Example


- Whirlpool Corporation Smart Grid Project, Benton Harbor, MI
  - Manufacturing of smart residential
  - Communicating over a home network, Internet, and AMI
  - Will allow consumers to defer or schedule their energy use
    - Clothes dryers, dishwashers, and refrigerators
    - Has user-interface to program appliances
  - Smart Dryer: <a href="http://www.youtube.com/watch?v=flSKjaFRh3Q">http://www.youtube.com/watch?v=flSKjaFRh3Q</a>

# Integrated System (IS) Example

- Golden Spread Electric Cooperative Project in Amarilo, TX
  - SCADA Communication for Better Reliability & Outage Management
    - Both wireless and power line carrier communications systems
  - Automated Distribution Circuit Switches
  - Automated Capacitors
  - Automated Regulators
  - Circuit Monitors/Indicators
  - Smart Meters, Programmable Communicating Thermostats, DLC

# Distribution System (DS) Example

- SGIG Distribution Automation Project, Atlantic City, NJ
  - Wireless Mesh Networking with Fiber Optic Connectivity
    - Access Points
    - Mesh Repeaters
  - Automation
    - Monitoring
    - Control / Switching




Wireless Mesh Network

# Transmission Systems (TS) Example

- Midwest Energy Inc. Smart Grid Project, Hays, KS
  - Nine Relay-based Phasor Measurement Units (PMUs)
  - Synchrophasor Communications Network
  - Advanced transmission applications for synchrophasors:
    - Angle and frequency monitoring
    - Post-mortem analysis (disturbances and system failures)
    - Voltage and voltage stability monitoring
    - Improved state estimation
    - Steady-state benchmarking

# Storage Demonstration (SD) Example

- Ktech Corp: Battery for Renewable Energy Integration
  - California's Central Valley
  - Batteries: 250 kW, 1 MWh
  - 180 kW Photovoltaic Farm
  - Store the energy generated
  - Dispatch power to:
    - Run an irrigation pump
    - Inject energy back into the grid during peak times



# Major Government / Local Agencies Involved

















- Energy Independence and Security Act of 2007
- American Recovery and Reinvestment Act of 2009




# **Smart Grid Priority Areas**

#### **Eight Priority Areas to Build a Smart Grid (Identified by NIST)**

- 1. Demand Response and Consumer Energy Efficiency
- 2. Wide-Area Situational Awareness
- 3. Energy Storage
- 4. Electric Transportation
- 5. Advanced Metering Infrastructure
- 6. Distribution Grid Management
- 7. Cyber Security
- 8. Network Communications

U.S. DoE Wind Power Target: 20% Wind Power by 2030!



Total U.S. Wind Power Capacity in 2011: 43,461 MW


Total Peak Load in Texas on January 12, 2012: 44,118 MW!

- Plug-in Electric Vehicles Target: 1 Million by 2015!
- From Dec 2010 to Dec 2011:
  - Total of 18,000 plug-in electric cars are sold in the U.S.
    - Rank 1: Nissan Leaf (9,693 units)
    - Rank 2: Chevrolet Volt (7,997 units)





DoE Demand Response Target: Shaving 20% of Peak Load



Historical Peak Load Trend in Texas:



[Peak load is historically increasing, PHEVs are coming, ...]

#### **Smart Grid Standards**

IEEE is a key player in Smart Grid Standardization

- IEEE has over 100 Smart Grid-related approved standards:
  - <a href="http://smartgrid.ieee.org/standards/approved-ieee-smart-grid-standards">http://smartgrid.ieee.org/standards/approved-ieee-smart-grid-standards</a>


- IEEE also has several Smart Grid-related pending standards:
  - http://smartgrid.ieee.org/standards/proposed-standards-related-tosmart-grid

1. IEEE Guide for Smart Grid Interoperability (IEEE P2030)

Interoperability is the capability of two or more networks, systems, devices, applications, or components to externally exchange and readily use information securely and effectively.

- Provides reference models for:
  - Smart grid architecture
  - Smart grid information exchange

#### IEEE 2030 Smart Grid Interoperability Architecture:



Ongoing Projects: IEEE 2030.1 (PEV), 2030.2 (Storage), 2030.3

#### IEEE 2030 Smart Grid Interoperability Reference Model (SGIRM):

Data characteristic	Classification/Value range						
Data use category	To be determined by the user of the table based on the intended use of the data (i.e., control data, protection data, and/or monitoring data)						
Reach	meters (feet) kilomete				eters (miles)		
Information transfer time	⊲ ms Between 3 ms and 10 s		Between 10 s and minutes		hours		
Data occurrence interval	milliseconds	seconds		minutes		hours	
Method of broadcast	Unicast	Multicast		Broadcast		All	
Priority	Low	Med		lium		High	
Latency	Low-low (<3 ms)		Low Me (<16 ms) (<16		-	High (≥160 ms)	
Synchronicity	Y	es			No		
Information reliability	Informative	formative Imp		ortant		Critical	
Availability (information reliability)	Low (limited imp	w (limited impact)				High (severe or atastrophic impact)	
Level of assurance	Low		Medium		High		
HEMP, IEMI	Hardened, yes		Harder		ened, no		
Data volume	bytes	1	kilobytes	megabytes		gigabytes	
Security	Low (limited impact)		lium impact)		High (severe or catastrophic impact)		
Confidentiality	Low (limited impact)		Medium (serious impact)		High (severe or catastrophic impact)		
Integrity	Low (limited impact)		Medium (serious impact)		High (severe or catastrophic impact)		
Availability (security)	Low (limited impact)		Medium (serious impact)		High (severe or catastrophic impact)		

Provides guidelines for information exchange aspects...

- 2. IEEE Standard for Synchrophasor Data Transfer for Power Systems [PC37.118.2]
- CRC (Cyclic Redundancy Check) Error Detection.
- Synchrophasor measurements shall be tagged with the UTC
  - Second-of-century count (SoC)
  - Fraction-of-second count (FracSec)
  - Time Quality Flag

- Second-of-century count (SoC)
  - Four bytes / 32 bits
  - Unsigned integer
  - Counts seconds from UTC midnight (00:00:00) of January 1, 1970
  - Will roll over to zero in 2106 (Q: Why?)

Three bytes for FracSec and one byte for Time Quality Flag.

- PMU Reporting Rates
  - Required Rate:

System frequency	50 Hz			frequency 50 Hz 60 Hz					
Reporting rates $(F_s$ —frames per second)	10	25	50	10	12	15	20	30	60

- Also Encouraged:
  - 100 frames / sec and 120 frames / sec
  - 10 frames / sec and 1 frame / sec

[ We will see more details under Topic 6 – Wide Area Measurement ]


- Many energy-consuming devices operate internally on DC power.
  - Computers
  - Televisions
  - Cell Phones (Most portable devices)
- Currently, they need to use AC-DC adapters.
- AC-DC conversion for these devices waste:
  - Up to 20% total power consumed

- Some renewable sources essentially generate DC power
  - Photovoltaic (PV) Arrays

- Most storage devices operate internally on DC power
  - Most batteries
  - Electric Vehicles / PHEVs (Distributed Storage)

Q: Why not operate smart grid (or part of it) in DC power?!

DC power system for tomorrow's home:



Ref: C. W. Gellings, www.galvapower.org

- Some suggested advantages of a DC power delivery system:
  - DC distribution eliminates harmonics
  - Grounding is simplified
  - DC distribution eliminates power factor concerns
  - Lower maintenance cost and greater reliability

Moving towards a DC power system has its own fans!

#### References

- Department of Energy, "The Smart Grid: An Introduction", at http://energy.gov/oe/downloads/smart-grid-introduction.
- C. W. Gellings, *The Smart Grid: Enabling Energy Efficiency and Demand Response*, CRC Press, Aug, 2009.
- A. Carvallo, *The Advanced Smart Grid: Edge Power Driving Sustainability*, Artech House, June, 2011.
- X. Fang, S. Misra, G. Xue, and D. Yang, "Smart Grid The New And Improved Power Grid: A Survey"; accepted for publication in *IEEE Communications Surveys and Tutorials*, 2012. Available at http://optimization.asu.edu/~xue/papers/SmartGridSurvey.pdf